



Crimping tools for non-insulated, insulated and twin cord-end terminals **2**




Cable stripping and cutting tool **3**



Automatic stripping and cutting tool **4**



Cutting, stripping and pressing tool for communication technique **4**



Universal cord-end terminal crimping tool **5**



Universal crimping tool for insulated cable lugs **6**



Universal crimping tool for non-insulated cable lugs **6**



Universal crimping tool for non-insulated cable lugs **7**



Universal crimping tool for non-insulated flat quick-connect terminations **7**



Hand operated hydraulic crimping tool **8**



Battery operated hydraulic crimping tool **9**



Battery charger **9**



Battery **9**




Hydraulic pull-up press and puncher tool **10**



Copper and aluminium cable cutter tool **11**




Copper and aluminium cable cutter tool **12**



Insulated combined pliers up to 1000 V **12**



Insulated screwdriver up to 1000 V **13**



1000 V screwdriver set **13**



Cable tie stretcher and cutting hand tool **14**



Cable pullers **14**



Heat gun **15**



Mechanical pliers set **15**



Double edged stripping knife **15**



Cable stripping tool **15**

Pictograms of the table head



Weight



Ambient temperature



Type of screwdriver heads



Length of tool



Maximal cutting cross-section



Maximal cutting diameter



Crimping range



Terminal capacity



Piston stroke



Punching capacity



Maximal pressing force



The head is rotatable in 360°



Battery capacity (Ah)



Battery voltage (V)



Battery type



Tensile force adjustable



Cutting width




Notes, additions



Rated voltage (V)



Rated power




Crimping tools for non-insulated, insulated and twin cord-end terminals

TRACON	 mm ²		
F6L	0,5-6	205 mm	470 g
F25L	6-25	240 mm	620 g
F50L	35-50	240 mm	620 g


F6L

F25L

F50L


Cable stripping and cutting tool

TRACON	 mm ²		
MACS6	0,08-6	205 mm	180 g
MACS16	6-16	205 mm	180 g



Crimping tool for S0LAR11-4AB and S0LAR11-4N terminals

TRACON	 mm ²		
S0LAR11-PT	2.5-6	270 mm	725 g / 1710 g



SCAN THE QR CODE!

- Check our new products
- Be updated

Our range of products is continuously and quickly expanding. Our catalogue shows our products as of April 2019. Check our website to stay up-to-date.

Automatic stripping and cutting tool

TRACON	 mm ²		
TKCS	0,1-4 (6)	200 mm	175 g
TP700A	0,25-2,5	180 mm	380 g
TP700B	0,75-6	180 mm	380 g
LY731	0,5-6	200 mm	300 g


TKCS

TP700A

TP700B

LY731

Cutting, stripping and pressing tool for communication technique

TRACON			
RJ86	220 mm	310 g	RJ11, RJ12, RJ45
RJ468	220 mm	200 g	RJ11, RJ12, RJ45, RJ50
RG317	230 mm	200 g	BNC, TNC, RG 1,72 / 2,6 / 5,4 / 6,5 / 8,1 mm


RJ86

RJ468

RG317


SCAN THE QR CODE!

- Check our new products
- Be updated

Our range of products is continuously and quickly expanding. Our catalogue shows our products as of April 2019. Check our website to stay up-to-date.

Universal cord-end terminal crimping tool

TRACON			
9039	6-16	230 mm	600 g
9102-LT	0,25-2,5	145 mm	160 g
9004-LT	0,5-16	180 mm	320 g
9039A-SPEC	0,25-6	175 mm	400 g
9039B-SPEC	6-16	210 mm	470 g
9039-HEXA	0,25-6	175 mm	400 g
9039A	1,5-6	230 mm	600 g
9039AR	0,5-6	230 mm	600 g
9039BR	10-35	230 mm	600 g
9039B	10-35	230 mm	600 g



Universal crimping tool for insulated cable lugs

TRACON	 mm ²		 m
LY35C	10-35	490 mm	2.150 g
9006RS	0,5-2,5	230 mm	600 g
9006R	2,5-6	230 mm	600 g
9006	2,5-6	230 mm	600 g



Universal crimping tool for non-insulated cable lugs

TRACON	 mm ²		 m
HD156R	1,5-6	225 mm	540 g
HD156	1,5-6	247 mm	540 g
KH8	1,5-10	280 mm	470 g
KH14	6-16	280 mm	470 g
KH16	1,5-16	280 mm	470 g



Universal crimping tool for non-insulated cable lugs

TRACON			
KH120	10-95	645 mm	3.000 g
HX50B*	6-50	390 mm	1.300 g
HX120B*	10-120	630 mm	4.000 g
HX150B*	25-150	650 mm	3.200 g

* The crimping range depends on the type and size of the applied lugs and terminals, see chapter A !



**HX50B
HX120B
HX150B**

HX50B-FEJ Crimping die for HX50B non-insulated cable lug crimping tool

For copper and aluminium cable lugs



HX120B-FEJ Crimping die for HX120B non-insulated cable lug crimping tool

For copper and aluminium cable lugs




HX150B-FEJ Crimping die for HX150B non-insulated cable lug crimping tool

For copper and aluminium cable lugs



Universal crimping tool for non-insulated flat quick-connect terminations

TRACON			
LY03BR	0,5-6	230 mm	600 g
LY03B	0,5-6	230 mm	600 g



LY03BR

LY03B

Hand operated hydraulic crimping tool

TRACON	 mm ²	 kN max			 m
D31*	4-95	35	360°	200 mm	1.550 g
D51*	10-185	55	180°	365 mm	2.500 g
D52F*	10-240	67	180°	375 mm	2.800 g
C120F*	16-400	120	180°	590 mm	7.000 g
KHP70**	4-70	50	—	375 mm	3.000 g
KHP240**	16-240	120	—	480 mm	6.250 g

* Accessory: plastic carrying bag

** Accessories: plastic carrying bag + pressing dies



Dies for D31 crimping tools

TRACON		Cu  mm ²	Al  mm ²
D31-4	KZ 4	4	-
D31-6	KZ 5	6	4
D31-10	KZ 6	10	6
D31-16	KZ 8	16	10
D31-25	KZ 10	25	16
D31-35	KZ 12	35	25
D31-50	KZ 14	50	35
D31-70	KZ 16	70	50
D31-95	KZ 18	95	70



Dies for D52F crimping tools

TRACON	Cu  mm ²	Al  mm ²
D52F-1016	10-16	10
D52F-2535	25-35	16-25
D52F-5070	50-70	50-35
D52F-95120	95-120	70-95
D52F-150	150	120
D52F-185	185	150
D52F-240	240	185



Dies for D51 crimping tools

TRACON		Cu  mm ²	Al  mm ²
D51-10-120	KZ 6	10	6
	KZ 20	120	95
D51-16-70	KZ 8	16	10
	KZ 16	70	50
D51-25-95	KZ 10	25	16
	KZ 18	95	70
D51-35-50	KZ 12	35	25
	KZ 14	50	35
D51-150	KZ 22	150	120
D51-185	KZ 25	185	150



Dies for C120F crimping tools

TRACON	Cu  mm ²	Al  mm ²
C120F-16	16	-
C120F-25	25	16
C120F-35	35	25
C120F-50	50	35
C120F-70	70	50
C120F-95	95	70
C120F-120	120	95
C120F-150	150	120
C120F-185	185	150
C120F-240	240	185
C120F-300	300	240
C120F-400	400	300



Battery operated hydraulic crimping tool

TRACON	 mm ²	 kN max			
D31E	4-95	35	360°	200 mm	1.550 g
D55E	10-185	55	340°	315 mm	3.250 g
D62E	6-240	62	340°	320 mm	3.550 g

Accessories:

- Battery charger, AKKUT1
- Battery, AKKU1
- Metal suitcase

Dies for D62E crimping tools

TRACON		Cu mm ²	Al mm ²
D62-10	KZ 6	10	6
D62-16	KZ 8	16	10
D62-25	KZ 10	25	16
D62-35	KZ 12	35	25
D62-50	KZ 14	50	35
D62-70	KZ 16	70	50
D62-95	KZ 18	95	70
D62-120	KZ 20	120	95
D62-150	KZ 22	150	120
D62-185	KZ 25	185	150
D62-240	KZ 28	240	185
D62-300	KZ 32	300	240



Dies for D31E crimping tools

TRACON		Cu mm ²	Al mm ²
D31-4	KZ 4	4	-
D31-6	KZ 5	6	4
D31-10	KZ 6	10	6
D31-16	KZ 8	16	10
D31-25	KZ 10	25	16
D31-35	KZ 12	35	25
D31-50	KZ 14	50	35
D31-70	KZ 16	70	50
D31-95	KZ 18	95	70



Dies for D55E crimping tools

TRACON		Cu mm ²	Al mm ²
D51-10-120	KZ 6	10	6
	KZ 20	120	95
D51-16-70	KZ 8	16	10
	KZ 16	70	50
D51-25-95	KZ 10	25	16
	KZ 18	95	70
D51-35-50	KZ 12	35	25
	KZ 14	50	35
D51-150	KZ 22	150	120
D51-185	KZ 25	185	150



Battery charger

TRACON				
AKKUT1	230 V AC	18 V	2100 mAh	Li-ion



Battery

TRACON			
AKKU1	18 V	2000 mAh	Li-ion



HKS-15 – Hydraulic pull-up press and puncher tool



TRACON	 kN max	 lmax	 a	 m
HKS-15	150 kN	max. 2-3 mm	25 mm	6.2 kg

Available accessories: • pressing stamps: Ø21,8mm; Ø27,6mm; Ø34,1mm; Ø42,7mm; Ø48,7mm; Ø60,5mm; □32×32mm • carrying bag.

This tool is suitable to install various devices into metal sheet cases. They make easy the installation of signal lamps, buttons, hand switches and gaskets too.



Available accessories



TRACON		
HKS-15-20	cable gland MG20	Ø20 mm
HKS-15-22	button Ø22 mm	Ø22 mm
HKS-15-25	cable gland MG25	Ø25 mm
HKS-15-32	cable gland MG32	Ø32 mm
HKS-15-40	cable gland MG40	Ø40 mm
HKS-15-50	cable gland MG50	Ø50 mm
HKS-15-63	cable gland MG63	Ø63 mm
HKS-15-PG13,5	cable gland PG13,5	Ø20 mm
HKS-15-PG16	cable gland PG16	Ø23,5 mm
HKS-15-PG21	cable gland PG21	Ø29,5 mm
HKS-15-PG29	cable gland PG29	Ø36 mm
HKS-15-PG36	cable gland PG36	Ø46 mm
HKS-15-PG42	cable gland PG42	Ø51 mm
HKS-15-PG48	cable gland PG48	Ø59 mm
HKS-15-43×43	instrument of 48×48 mm cross-section	□43×43 mm
HKS-15-68×68	instrument of 72×72 mm cross-section	□68×68 mm
HKS-15-92×92	instrument of 96×96 mm cross-section	□92×92 mm
HKS-15-BSZ10	Draw stud, 105 mm	max. 2-3 mm



Copper and aluminium cable cutter tool

TRACON	d _{max} 	NYN  mm ²	NYN  mm ²	NYCWY  mm ²	NAYY  mm ²	NAYY  mm ²	AYCWY  mm ²
RKV300	35 mm	max. 4×50	max. 1×240	max. 4×50/25	max. 4×70	max. 1×300	max. 4×50/25
RKV700	60 mm	max. 4×95	max. 1×240	max. 4×95/50	max. 4×120	max. 1×300	max. 4×95/35
RKV1000	95 mm	–	–	max. 4×240/120	max. 4×240	max. 1×500	–




RKV300



RKV700



telescopic handle



RKV1000

blade-loosener

support feet



telescopic handle



Copper and aluminium cable cutter tool

TRACON	A _{max} 	d _{max} 		
CC22	16 mm ²	5,5 mm	150 mm	190 g
CC38	25 mm ²	6,5 mm	210 mm	350 g
CC60	35 mm ²	8 mm	230 mm	510 g
CC80	70 mm ²	9 mm	235 mm	510 g
CC100	100 mm ²	15 mm	320 mm	500 g
CC250	250 mm ²	17 mm	600 mm	1250 g
CC500	500 mm ²	25 mm	800 mm	2850 g




Insulated pliers up to 1000 V

TRACON			
KF-1000	160 mm	230 g	combined plier
KF-1000-2	200 mm	370 g	combined plier
KB-1000	160 mm	230 g	stripper plier
KC-1000	160 mm	210 g	cutting plier
KL-1000	160 mm	230 g	flat nose plier



RELEVANT STANDARD
EN 60900



Insulated screwdriver up to 1000 V, SD

TRACON



SD375F		3×75 mm
SD4100F		4×100 mm
SD5125F		5×125 mm
SD6100F		6×100 mm
SD6125F		6×125 mm
SD6150F		6×150 mm
SD375S		3×75 mm (PH0)
SD4100S		4×100 mm
SD5125S		5×125 mm (PH1)
SD6100S		6×100 mm (PH2)
SD6125S		6×125 mm (PH2)
SD6150S		6×150 mm (PH2)



RELEVANT STANDARD
EN 60900



Insulated screwdriver up to 1000 V

TRACON



SDDK4100S		4×100 mm
SDDK5125S		5×125 mm (PZ1)
SDDK6150S		6×150 mm (PZ2)



VDE TEST REPORT NO.:
40011797



RELEVANT STANDARD
EN 60900



1000 V screwdriver set

TRACON



KSET1000	1.0 × 5.5 × 125 mm	PH2 × 100 mm
	0.8 × 4.0 × 100 mm	PH1 × 80 mm
	0.4 × 2.5 × 75 mm	PH0 × 60 mm




Cable tie stretcher and cutting hand tool

TRACON		
TG007	2.2-8 mm	220 g
TG008	2.2-4.8 mm	320 g
TG010	3.6-13 mm	380 g


TG008

TG007

TG010


Cable pullers

TRACON			
TBSZ-5	5 m	$\varnothing = 3 \text{ mm}$	Plastic cable pullers with pulling eye and spring
TBSZ-10	10 m		
TBSZ-20	20 m		
TBSZS-5	5 m	$\varnothing = 3.2 \text{ mm}$	Metal spiral cable pullers
TBSZS-10	10 m		
TBSZS-20	20 m		
TBSZF-5	5 m	$d = 3.2 \text{ mm}$	Flat metal band cable pullers
TBSZF-10	10 m		
TBSZF-20	20 m		



Heat gun

TRACON	U_n				
HLF-02	230 V AC	1.000/2.000 W	350/600 °C	1450 g	300 / 500 l/min

Mechanical pliers set

TRACON			Pictograms	B/O
SP-KLT				

Content:

- 1 pc front cutter plier;
- 1 pc side cutter plier;
- 1 pc flat nose plier and
- 1 pc combined plier

Double edged stripping knife

TRACON			
KB-UNI	160 mm	70 g	

Cable stripping tool

TRACON		max. Ø		
KBY	200 mm	12 mm	95 g	



SCAN THE QR CODE!

- Check our new products
- Be updated

Our range of products is continuously and quickly expanding. Our catalogue shows our products as of April 2019. Check our website to stay up-to-date.